

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(cable and jacket and (shrink\$4 near1 test)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:13
S1	0	10/809619	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 12:17
S2	22	((("6,563,990") or ("6,546,175") or ("6,542,674") or ("6,529,663") or ("6,501,888") or ("6,487,347") or ("6,487,345") or ("6,400,873") or ("6,356,690") or ("6,311,000") or ("6,249,629") or ("6,188,821") or ("5,651,081") or ("5,566,266") or ("5,561,729") or ("5,180,890") or ("4,892,382") or ("4,787,705") or ("4,776,664") or ("4,761,053") or ("4,729,628") or ("4,467,138"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/09/28 12:30
S3	38	((shrink\$4 near3 test\$4)) and ((fiber optic\$2) near3 cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:56
S4	4	S2 and shrink\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:10
S5	424	385/113.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:46
S6	434	385/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:14

S7	289	385/103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:14
S8	280	385/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:15
S9	584	385/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:15
S10	187	385/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:15
S11	222	385/112.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:15
S12	92	S5 and shrink\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:23
S13	47	S5 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:56
S14	17	S6 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 13:58

S15	19	S7 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:05
S16	17	S8 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:45
S17	49	S9 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:55
S18	15	S10 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:55
S19	20	S11 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:55
S20	62	((shrink\$4 near3 (measur\$5 standard))) and ((fiber optic\$2) near3 cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:49
S21	49	S20 and (shrink\$4 same (heat\$4 thermal\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 14:56
S22	6	((shrink\$4 near3 (measur\$5 standard))) and (S5 S6 S7 S8 S9 S10 S11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:27

S23	34	roving and (385/113.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 15:28
S24	0	(messenger and carrier and cable and jacket and (shrink\$4 near1 test)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:47
S25	4	(cable and jacket and (shrink\$4 near1 test)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:47
S26	503	((shrink\$4 near3 (measur\$5 standard test\$4))) same (thermal heat\$4) same cool\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:51
S27	19	((shrink\$4 near3 (measur\$5 standard test\$4))) same ((thermal heat\$4) with "70") same (cool\$4 with ("20" "25" ambien\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 16:53
S28	79110	(optic\$2 near3 cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:06
S29	528	(roving rope string (twist\$3 near3 (fiber strand))) with ((resin plastic polymer) near5 matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:45
S30	7	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:23

S31	2507	((percent\$3 fraction ratio) near5 (mass weight)) with ((resin plastic polymer) near5 matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:14
S32	32	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:15
S33	3	S28 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:14
S34	9	S32 and optic\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:15
S35	156	(coefficien\$4 near5 thermal near5 (expand\$3 expansion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:24
S36	111108	(coefficien\$4 near5 thermal near5 (expand\$3 expansion)) CTE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:01
S37	1234	S28 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:44
S38	3	10/809619	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:35

S39	152	(roving rope string (twist\$3 near3 (fiber strand))) and S28 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:45
S40	3	S28 and S29 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:45
S41	4	(acrylic with (water adj1 bas\$3)) same ((resin plastic polymer) near5 matrix) and (ethylene with acrylic with acid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:46
S42	16	maximum near5 delta near5 attenuat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:08
S43	3	S29 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:07
S44	5	S42 same (wavelength near5 reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:09
S45	6	S42 same (temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 19:09